

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	50	(((((711/103).CCLS.) and @ad < "20010830") and flash) and compression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/30 11:57
S2	600	(((((711/103).CCLS.) and @ad < "20010830") and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/30 11:57
S4	0	((flash with memory with compress\$4) and (power adj up) and processor and @ad< "20010830") and (synchronous near2 RAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/30 16:12
S6	4	((flash with memory with compress\$4) and (power adj up) and processor and @ad< "20010830") and ((synchronous with RAM) sdram sldram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/30 16:13
S7	97	(flash with memory with compress\$4) and ((power adj up) boot) and processor and @ad< "20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/30 16:59
S8	75	(flash with memory with decompress\$4) and processor and @ad< "20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/30 17:12
S9	2	"20030046483"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/30 17:13
S10	2	"20030046486"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/30 17:14
S11	2	"6549468"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/30 17:15

S13	2	"20030023840"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/30 17:20
S12	7	"6560161"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/30 17:20
S14	2209	(flash with memory) and (power adj up) and processor and @ad< "20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 13:38
S16	34	((flash with memory) with (RAM) with (load read)) same ((power adj up) reset)) and processor and @ad< "20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 15:46
S17	184	((flash with memory) with (RAM) with (load\$3 read\$3 stor\$3 cop\$4)) same ((power adj up) reset\$4 boot\$4)) and processor and @ad< "20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 15:47
S18	152	((flash near4 memory) with (RAM) with (load\$3 read\$3 stor\$3 cop\$4)) same ((power adj up) reset\$4 boot\$4)) and processor and @ad< "20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 16:13
S19	2	"20020138702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/03 16:18
S1	1057	(711/103).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/04 18:17
S20	2	"20020016888"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/04 18:22
S21	2	"20020016888" and (exclusive adj lock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/04 18:23

S22	2	"20030046485"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 21:16
S23	3	(system adj reset) with (cpu near4 activa\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 21:17
S25	232	((CPU processor system) adj reset) with (boot)) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 21:18
S24	338	((CPU processor system) adj reset) with (boot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 21:22
S26	14	((CPU processor system) adj reset) near signal) with (boot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 21:32
S27	3	((CPU processor system) adj reset) with (boot near5 (preload (pre adj load))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 13:33
S28	15	((boot near5 load) near (complet\$4 ack acknowledg\$5)) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 13:41
S29	0	((boot near5 load) near (assert\$4 deassert\$ de-assert\$4)) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 13:42
S30	9	((boot near5 load) with (assert\$4 deassert\$ de-assert\$4)) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 13:43
S31	2	((boot near5 load\$4) near4 (complet\$4 after)) with (assert\$4 deassert\$ de-assert\$4)) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 18:27

S33	0	((flash with memory with compress\$4) and (power adj up) and processor and @ad< "20010830") and RDRAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 18:28
S32	65	(flash with memory with compress\$4) and (power adj up) and processor and @ad< "20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 18:28
S35	0	((flash with memory with compress\$4) and (power adj up) and processor and @ad< "20010830") and (Rambus with RAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 18:29
S34	0	((flash with memory with compress\$4) and (power adj up) and processor and @ad< "20010830") and (Rambus with DRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 18:29
S37	4	((flash with memory) and (power adj up) and processor and @ad< "20010830") and (synchronous with ram)and rambus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 18:30
S15	36	((flash with memory) and (power adj up) and processor and @ad< "20010830") and (synchronous with ram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 18:30
S36	2566	(Rambus with (RAM dram rdram))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 18:31
S39	830	((711/103).CCLS.) and @ad < "20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 18:33
S38	1504	((Rambus with (RAM dram rdram))) and @ad < "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 18:33
S41	3	((711/103).CCLS.) and @ad < "20010830") and rambus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 18:34

S40	1	((((711/103).CCLS.) and @ad < "20010830") and rdram	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 18:34
S42	2	("20030046485").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/30 18:22
S43	0	((flash with card with compress\$4) and processor and @ad< "20010830") and (synchronous with RAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/30 20:15
S5	3	((flash with memory with compress\$4) and (power adj up) and processor and @ad< "20010830") and (synchronous with RAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/30 20:15
S44	0	((flash with decompress\$4) and processor and @ad< "20010830") and (synchronous with RAM) and (flash with (card pcmcia))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/30 20:17
S45	0	((flash same decompress\$4)and @ad< "20010830") and (synchronous with RAM) and (flash with (card pcmcia))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/30 20:18
S48	200	( @ad< "20010830" and (sdram) and (flash with (card pcmcia))) and (flash decompress\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/30 20:22
S46	108	@ad< "20010830" and (synchronous with RAM) and (flash with (card pcmcia))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/30 20:22
S49	16	( @ad< "20010830" and (sdram) and (flash with (card pcmcia))) and (flash with decompress\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/30 20:23
S47	200	@ad< "20010830" and (sdram) and (flash with (card pcmcia))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/30 20:27

S50	23	@ad < "20010830" and (sdram) and (flash with pcmcia)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/30 20:30
S51	6	@ad < "20010830" and (sdram) and ((flash with remov\$4) same pcmcia)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/30 20:31
S52	16	(((((711/103).CCLS.) and @ad < "20010830") and flash) and compression) and decompress\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 13:59
S53	647	(((((711/103).CCLS.) and @ad < "20010830") and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 14:27
S56	39	((flash with memory) and (power adj up) and processor and @ad < "20010830") and (synchronous with ram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 14:28
S55	81	(flash with memory with decompress\$4) and processor and @ad < "20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 14:28
S54	51	(((((711/103).CCLS.) and @ad < "20010830") and flash) and compression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 14:28
S57	4	((flash with memory with compress\$4) and (power adj up) and processor and @ad < "20010830") and ((synchronous with RAM) sdram sldram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 14:32
S60	84	(flash with memory with decompress\$4) and processor and @ad < "20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:39
S59	51	(((((711/103).CCLS.) and @ad < "20010830") and flash) and compression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:39



S58	658	((711/103).CCLS.) and @ad < "20010830") and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:39
S62	4	((flash with memory with compress\$4) and (power adj up) and processor and @ad < "20010830") and ((synchronous with RAM) sdram sldram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:40
S61	39	((flash with memory) and (power adj up) and processor and @ad < "20010830") and (synchronous with ram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:40
S65	86	(flash with memory with decompress\$4) and processor and @ad < "20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 21:11
S64	51	((711/103).CCLS.) and @ad < "20010830") and flash) and compression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 21:11
S63	897	((711/103).CCLS.) and @ad < "20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 21:11
L1	1494	(711/103).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:39
L2	51	((711/103).CCLS.) and @ad < "20010830") and flash) and compression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 14:40
L4	47	zitlaw.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 14:42
L3	87	(flash with memory with decompress\$4) and processor and @ad < "20010830"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 14:42